

# XEROX® MULTIFUNCTION PRINTERS

Upgrade to higher productivity.

**B1022/B1025**



# Xerox® B1022/B1025 Multifunction Printers

The Xerox® B1022/B1025 monochrome multifunction printer (MFP) is easy on the budget without sacrificing the features and connectivity you need to reach your full productivity potential. With a space-saving footprint, all-in-one high-speed print and scan – and the mobile print capabilities today's businesses demand – everything is easier.

## DOWNSIDED FOOTPRINT. UPSIZED CAPABILITY.

You won't believe how much more you can do with less. The Xerox® B1022/1025 replaces multiple devices with a single, compact multifunction printer that does more than all the others combined – while delivering output in paper sizes up to Tabloid/A3.

## ADVANCED FEATURES

With optional wireless connectivity, you'll have the freedom of untethered mobility and the convenience and flexibility to put your printer or multifunction device right where you need it. Our Wi-Fi® installation wizard and Wi-Fi Print Setup (WPS) make getting connected secure and simple.

## UPGRADE PERFORMANCE AND PRODUCTIVITY.

The space-saving Xerox® B1022/B1025 helps get more done with less hassle – conserving energy and reducing costs by combining the functions of a duplex copier, printer, colour scanner and fax<sup>1</sup> into one affordable monochromatic device.



**Outstanding performance.** With up to 1 GHz of processing power and 1.5 GB standard memory, you'll see your first print fast and get print speeds up to 25 ppm.



**Print more for longer.** An optional second paper tray lets you load an additional 250 sheets for extended interruption-free printing.



**See the difference.** Your documents will show exceptional sharpness with up to 1200 x 1200 dpi image quality.

## WALKUP SIMPLICITY

An interactive touchscreen interface on our Xerox® B1025 Multifunction Printer provides simple, intuitive operation of every function, whether you're printing, scanning, copying or faxing<sup>1</sup>. Fine-tune output to suit your needs or rely on easy, automatic settings for consistent quality on every print.



**Wherever, whenever and however.** Scan to email, or scan-to and print-from a USB memory drive at the device. You can even print directly from the cloud with a few simple steps.



**Easy management.** With Xerox® Embedded Web Server, remote device administration is easy – right from your computer's browser.



**Stay secure.** Keep your sensitive documents away from unintended recipients with the latest security features, including AES 256-bit encryption, SNMPv3, IP Filtering and Secure Print.

<sup>1</sup> Optional fax available for Xerox® B1025 only.



**CHOOSE THE OPTION BEST FOR YOUR BUSINESS.**

**1** The **Platen Cover** is standard on Xerox® B1022 MFP and offered as a configuration option on the Xerox® B1025 MFP.

**2** An easily accessible **USB port** allows users to quickly print-from or scan-to any standard USB memory device.

**3** A **250-sheet output tray**.

**4** The **100-sheet Bypass Tray** handles media sizes from 4.92 x 4 in. to 11.69 x 17 in./125 x 102 mm to 297 x 432 mm.

**5** The **standard 250-sheet Tray 1** handles media sizes from 5.83 x 7.17 in. to 11.69 x 17 in./148 x 182 mm to 297 x 432 mm.

**6** The **100-sheet Duplex Automatic Document Feeder (DADF)** scans two-sided black and white or colour originals for copy, scan and fax<sup>1</sup> jobs. The DADF is standard on Xerox® B1025 DADF configuration and is an optional upgrade on the Xerox® B1022.


**7** The **optional Additional Tray** holds 250 sheets of 5.83 x 7.17 in. to 11.69 x 17 in./148 x 182 mm, increasing the maximum paper capacity to 500 sheets.

**8** The Xerox® B1022 includes an **intuitive front panel** for configuring device settings and programming jobs.

**9** The Xerox® B1025 features a larger 4.3-inch **colour touchscreen interface** for added simplicity.




**Xerox® B1022 Multifunction Printer**



**Xerox® B1025 Multifunction Printer**

DADF configuration shown with optional additional tray.



<sup>1</sup> Optional fax available for Xerox® B1025 only.

# Xerox® B1022/B1025 Multifunction Printers

DEVICE SPECIFICATIONS		Xerox® B1022	Xerox® B1025
Speed		Up to 22 ppm	Up to 25 ppm
Duty Cycle <sup>1</sup>		Up to 50,000 pages/month	
Processor		600 MHz	1 GHz
Micro SD Memory		NA	8 GB Allows for extra address storage (2,000 addresses/500 groups), collation, booklet creation and handles larger jobs
Memory		256 MB	1.5 GB
Connectivity		Ethernet 10/100Base-T, High-speed USB 2.0, Wi-Fi® 802.11 b/g/n (optional), Wi-Fi Direct® with optional Wi-Fi Kit	
<b>Copy and Print Resolution</b>		<b>Copy:</b> Up to 600 x 600 dpi; <b>Print:</b> Up to 1200 dpi (enhanced)	
First-copy-out Time		As fast as 7.8 seconds	As fast as 7.6 seconds
First-print-out Time		As fast as 9.1 seconds	As fast as 8.9 seconds
Page Description Languages		PCL®6, Adobe® PostScript® 3™	
Print Features		Bi-directional Real-time Status, Booklet Creation (B1025 only), Draft Mode, Personal Print, Print from USB, Sample Set, Saved Job, Delay Print, Secure Print, Job Notification, Watermark, Two-sided Printing, Job ID on Banner, Rotate Image, Xerox® Earth Smart Driver Setting	
Mobile Printing		Apple® AirPrint® <sup>2</sup> , Xerox® Print Service and Mopria® Print Service Plug-ins for Android™	
<b>Scan</b>		Black and white and colour scanning up to 600 x 600 dpi; Destinations: Scan to USB, Scan to Email, Scan to Network (FTP or Browse SMB), SMB 3.0; File Formats: JPG, TIFF (single and multi-page), PDF (single and multi-page)	
<b>Fax</b> <sup>3</sup>	Optional	NA	Walkup Fax, Direct Fax
<b>Security</b>		Firmware Verification, Security Certificate Management, Automatic Self-Signed Certificate Creation, Certificate Path Validation, AES 256-bit Encryption, FIPS 140-2, TLS/SSL, SNMPv3, IP Address Filtering, Audit Log, Secure Print	
<b>Paper Input</b>	Standard	<b>Platen</b>	<b>Platen or Duplex Automatic Document Feeder:</b> 100 sheets; Custom Sizes: up to 11.69 x 17 in./297 x 432 mm
		<b>Bypass Tray:</b> 100 sheets; Custom sizes: 4.92 x 4 in. to 11.69 x 17 in./125 x 102 mm to 297 x 432 mm <b>Tray 1:</b> 250 sheets; Custom sizes: 5.83 x 7.17 in. to 11.69 x 17 in./148 x 182 mm to 297 x 432 mm	
	Optional	<b>Additional Tray:</b> 250 sheets; Custom sizes: 5.83 x 7.17 in. to 11.69 x 17 in./148 x 182 mm to 297 x 432 mm	
<b>Paper Output</b>		250 sheets	

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.; <sup>2</sup> Visit [www.apple.com](http://www.apple.com) for AirPrint Certification list.; <sup>3</sup> Fax requires analogue phone line.

## Device Management

Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email alerts, Apple Bonjour®

## Print Drivers

Windows® 7, 8, 10, Windows Server® 2000, Server 2003, Server 2008, Server 2008 R2, Server 2012; Mac OS® version 10.10, 10.11, 10.12; Citrix®, Red Hat® Enterprise; Linux®; IBM® AIX® 7.2; HP-UX® 11iv3; Oracle® Solaris® 11.3; SUSE® 13.2; Xerox® Global Print Driver®

## Media Handling

Duplex Automatic Document Feeder: 16 lb to 34 lb Bond/60 to 128 gsm; Bypass Tray: 16 lb to 60 lb Cover/60 to 163 gsm; Tray 1 and Optional Additional Tray: 16 lb Bond to 100 lb Text/60 to 140 gsm

## Media Types

Plain Paper, Bond, Punched, Pre-Printed, Heavyweight, Lightweight, Archival, Recycled, Thin Card Stock, Letterhead, Custom 1–7

## Certifications

To view the latest list of certifications, go to [www.xerox.com/OfficeCertifications](http://www.xerox.com/OfficeCertifications).

## What Comes in the Box

- Xerox® B1022 or Xerox® B1025 Multifunction Printer
- Starter Capacity Print Cartridge – Black: 2,500 print capacity<sup>4</sup>
- Software and Documentation CD (with User Manual, Quick Install Guide, Safety, Regulatory, Recycling and Print Drivers, and Warranty Statement)
- Installation Guide
- Quick Use Guides
- Power cord

## Supplies

Standard Capacity Toner Cartridge –  
Black: 13,700 pages<sup>4</sup> 006R01731  
Drum Cartridge: 80,000 pages<sup>5</sup> 013R00679

## Options

250-sheet Feeder<sup>6</sup> 097N02316  
Fax Kit for B1025 (1-line)<sup>6</sup> 497N05496  
DADF<sup>6</sup> 497N05497  
Wireless Network Adapter (Wi-Fi Kit) 497N05495

<sup>4</sup> Average standard pages. Declared yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

<sup>5</sup> Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit <http://www.office.xerox.com/latest/SUPGL-01.PDF>.

<sup>6</sup> Installed by CSE

Configurations vary by geographical location.

For more detailed specifications, go to [www.xerox.com/B1022-B1025Specs](http://www.xerox.com/B1022-B1025Specs).