

Rethink inkjet.

The big performance of production inkjet printing is now available in a smaller, more efficient, more flexible package. Rethink inkjet with the Xerox® Rialto™ 900 Inkjet Press, and significantly transform your business potential.

Small. Simple. Scalable.

The Xerox® Rialto™ 900 Inkjet Press design removes the primary barriers to entering the dynamic production inkjet market—cost and complexity—providing an exciting opportunity for business growth. The press delivers excellent performance to help meet demanding SLAs while providing ultimate efficiency and flexibility at a never-before-seen size.

Performance:

White paper-in productivity – Designed for roll in, cut sheet out performance, the Rialto 900 minimizes complexity while maximizing output from a unique, small footprint.

High-quality prints – 1000 x 1000 dpi visual resolution prints provide eye-catching results for transaction, transpromo and direct mail jobs.

Ease of use – Next generation product and user interface design make getting started with inkjet or insourcing applications easy.

Efficiency:

All-in-one integration – Nearly everything you need to achieve maximum production inkjet power is wrapped up in one easy-to-use package, simplifying the process of delivering high-value inkjet jobs.

Lower costs – An elegant, compact design uses less power and produces less waste.

Maximum productivity – Keeping the Rialto 900 running productively doesn't take time away from an operator's day, especially when compared with other inkjet products. The press' simple design and straight paper path make routine maintenance tasks easy so jobs keep printing.

Flexibility:


Migrate or share – Move jobs from offset, higher-end inkjet or cut sheet digital presses with ease. Or take advantage of the Rialto 900 to provide cost-effective inkjet redundancy. The press's workflow and outstanding quality make it a good shop floor citizen who likes to share.

Work... flows – With support for both Adobe PDF or native IPDS data streams and a modern interactive controller, the Rialto 900 press makes it easy to expand your definition of "inkjet jobs."



Xerox® Rialto™ 900 Inkjet Press

Small. Simple. Scalable.



1

Integrated narrow web roll

Supports up to 9.84" wide, 39.3" outer diameter rolls of uncoated, untreated, inkjet treated and inkjet matte coated media from 60 to 160 gsm. The Rialto 900 comes standard with a web cart for quick, single operator installation.

2

Splicing Table

Makes web splicing fast, simple and reliable in order to maintain uptime and productivity.

3

Web Cleaner

Maintains a dust free paper path by using both brush and vacuum technology on the web as it passes through the system.

4

Web Guide

Ensures alignment of the web and enables the press to maintain tight +/- .5 mm front to back registration from the first sheet to the last. This component, along with the splicing table and web cleaner, comes standard with the Rialto 900.

5

Side One Print Engine

Images four colors at speeds up to 157 feet per minute with a resolution of 600 x 600 dpi x 2-bit. Utilizing variable drop sizes of 4, 7 and 11 pL and piezoelectric technology, the Rialto 900 delivers a perceived resolution of 1000 x 1000 dpi or better for vivid, crisp and stunning quality from the first print to the last.

6

Automated Head Cleaning

One of the most efficient clean, wipe and purge processes in the industry maximizes productivity and simplifies routine maintenance.

7

Clear Pixel Technology

Actively mitigates clogged nozzles throughout a production run. The choice of a flush line or stochastic spray along with other integrated print engine technology, provides automated control over IQ.

8

Infra Red Dryers

Efficient, rated speed drying for each side of web. The 2 x 6.3 kW dryers are operator adjustable to meet the unique needs of an array of media.



It's time to Rethink Inkjet with the groundbreaking Xerox® Rialto™ 900 Inkjet Press, the world's only roll to cut sheet press that can print one to many on demand. The Rialto 900 truly democratizes inkjet by including all the essential features that customers need to produce high value transactional, transpromotional and direct marketing applications in a compact, highly efficient package.

9

Chiller Rolls

Reduces the web to near-ambient temperature at full rated speed for side two imaging.

10

Side Two Print Engine

Yields 342 letter-sized impressions per minute through single-pass duplex printing. The paper path's ingenious design eliminates turn bars and step plates and is the key to having the industry's smallest footprint. Integrated sensors ensure 100% integrity with automated front to back matching.

HD (High Density) Pigment Ink

The specially formulated water-based aqueous ink maximizes image quality and permanence on a wide variety of substrates and media weights.

11

Integrated Guillotine Cutter

Creates cut sheet sizes from 5.8" to 16.75" long at full rated speed. The integrated cutter supports single or channel cut options.

12

High Capacity Stacker

Offset stacks up to 4000 sheets and comes with two stacker carts to maximize availability.

13

Output Tray

Provides fast and convenient access to test print patterns and simplifies jam clearance.

14

Print Controller

Enables "green button" simplicity through a next generation user interface that is fully integrated into the Rialto press. Choose one of two options: the Xerox® Impika® PDF Controller powered by the latest Adobe PDF Print Engine (APPE) and the Xerox® Impika® IPDS Controller with full IS/3 compliance and APPE support.

This touch screen print server make job submission and press management easy, intuitive and efficient.

15

Press Dimensions

The world's smallest, fully integrated, roll to cut sheet inkjet press measures 15'1" long by 5'3" deep and 5'3" high. This puts the Rialto 900 about 2 feet smaller than the Xerox® Color 1000i Press, making it an ideal fit on nearly any production floor.

Xerox® Rialto™ 900 Inkjet Press

Technology

Inkjet	Impika drop-on-demand piezoelectric
Drop volumes	0, 4, 7, 11 pL (4 levels of grayscale)
Print resolution	600 x 600 dpi x 2-bit
Visual resolution	1000 x 1000 dpi
Printing speed	Up to 157 fpm (48 mpm), 342 8.5 x 11 ipm (322 A4 ipm), 1 up, single pass duplex
Front to back registration	+/- .5 mm
Recommended monthly print volume	1.5 million – 5 million letter/A4 impressions per month
Printing width	8.66" (220 mm)
Printing process	Single pass duplex, tight web
Print engine optimization	Clear pixel technology
Head servicing	Automated head cleaning (purging, wiping, capping)
Duplex integrity	Automated inline integrity and recovery

Ink

Ink	Water-based pigment HD (high density)
-----	---------------------------------------

Papers

Paper characteristics	Uncoated, untreated, inkjet treated, inkjet matte coated (see the tested media list)
Paper weight	From 60 to 160 gsm (3.2 to 7.4 pt)
Paper width	Up to 9.84" (250 mm)
Paper roll dimensions	Up to 39.3" (100 cm)

Dryer

Dryer characteristics	Infra Red (IR), 2 x 6.3 kW
-----------------------	----------------------------

Print Tower

Dimensions	15'1"L x 5'1"D x 5'3"H (4600 mm x 1550 mm x 1600 mm)
Weight	5260 lbs (2386 kg)

Software/Interface Solutions

Graphic user interface	24" tablet-style interactive touch screen
Controller options	Xerox® Impika® PDF Controller <ul style="list-style-type: none">• Adobe PDF Print Engine 3.3• Adobe Acrobat® 9.0, PDF 1.7, PDF/X 1a, 3, 4, PDF V/T-2• Inkjet optimized screening Xerox® Impika® IPDS Controller <ul style="list-style-type: none">• Multi-resolution IPDS Controller• Encapsulated PDF support• Adobe PDF Print Engine 3.3• Compliant to the AFP Consortium (IS/3)• Inkjet optimized screening
Input file formats	IPDS, PDF
Connectivity	Ethernet 1 GB, USB

Operating Environment

Nominal operating conditions	70–90°F (21–32°C) at 40–60% RH
Optimal printing quality	71–81°F (22–27°C) at 50% RH
Exhaust air	400 m3/h
Air output temperature	60-80°C
Heat output	30,000 BTU
Noise level	Below 78 dB
Power supply	North America: 60Hz 480V 3 Phases, 208-110V 1 phase/45A Europe: 50Hz 400V 3 Phases, 230V 1 phase/42A
Electrical Consumption	North America Standby/Printing: 2.8A/35.5A Europe Standby/Printing: 2.0A, 26A
Certifications	CE, RoHS, UL/CSA

Standard Configuration

Feeding	Unwinder, Web cleaner, Web Guide
Finishing	Integrated Cutter with High Capacity Stacker
Stack Height	4000 sheets

Visit www.xerox.com for more information.